
Product Spec Sheet

Part Number: 10GMXP-A2-48E

Description: Copper Patch Panel 10G MAX Empty UTP 48 Openings Angled 2U Black Fixed Wire Manager

Siemon's 10G MAX UTP patch panels provide a flexible, modular solution for Smart Building and Data Center networks. When used with UTP Z-MAX® and UltraMAX™ hybrid outlets (sold separately), these panels support Category 5e, 6 and 6A UTP performance specifications. Each panel features an integrated rear cable manager, allows application-based color identification, and is offered in 1U 24-port and 2U 48-port flat or angled configurations.



Disclaimer: The product images shown are for illustration purposes only and may not be an exact representation of the product

General:

Product Family	10G MAX

Weights & Dimensions:

Product Unit of Measure	EA
Product Weight	0.9kg (2.01lbs)
Product Dimensions (D x W x H)	210mm x 482.6mm x 88.9mm (8.3" x 19" x 3.5")
Pack 1 Quantity	1
Pack 1 Weight	1.7kg (3.66lbs)
Pack 1 Dimensions (L x W x H)	558.8mm x 355.6mm x 101.6mm (22" x 14" x 4")

Physical Specifications:

Product Spec Sheet

Product Type	Patch Panel
Shielded or UTP	UTP
Color	Black
Jacks Included	Empty
Port Count	48 Openings
Panel Style	Angled
U Height	2U
ANEXT Category 6A Compatible Spacing	Yes
Housing Material	16 gauge cold rolled steel
Panel Finish	Black powder coat
Wire Manager	Fixed Wire Manager
Packaging	Not Applicable

Mechanical Specifications:

Mounting	CEA-310-E 19 in. (482.6 mm) rack
Operating Temperature (°C)	-20 to 70
Operating Temperature (°F)	-4 to 158

Electrical Specifications:

Category	Not Applicable

Compliance:

Industry Standards	ISO/IEC 11801-1, ANSI/TIA-568.2-E, ANSI/TIA 1096-A, CEA-310-E 482.6mm (19") rack
Safety & Certifications	UL 1863
Quality Management System Certification	ISO 9001:2015

Product Spec Sheet

For more details about the product, please Click Here

Because we continuously improve our products, Siemon reserves the right to change specifications and availability without prior notice.

North America
P: (1) 860 945 4200

Mexico
P: (521) 556 387 7708/09/10

Latin America
P: (571) 657 1950/51/52

Europe
P: (44) 0 1932 571771

China
P: (86) 215385 0303

India, Middle East & Africa
P: (971) 4 3689743

Asia Pacific
P: (61) 2 8977 7500

Siemon Interconnect Solutions
P: (1) 860 945 4213
www.siemon.com/SIS